

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 1 of 9

Product Name: Mr. 2UUL glue

MSDS

According to ISO 11014-2009

Applicant: shenzhen 2uul technology co., ltd

Address: Henggang Building 2008 , No. 5008 Longgang Avenue, Henggang Street, Longgang District, Shenzhen, China

Product Name: Mr. 2UUL glue

Name: 2UUL Mr. Glue, 2UUL Mr. GlueMax, 2UUL Buffer Glue, 2UUL Soft Guru Glue

Issue date: Aug. 16, 2023

Edited by: Dongguan NTEK Testing Technology Co., Ltd.

Approved by:



Richard Ke



This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone, Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>



Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 2 of 9

Product Name: Mr. 2UUL glue

Section 1 - Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Mr. 2UUL glue

Model: 2UUL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Bonding.

Uses advised against: No information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: shenzhen 2uul technology co., ltd

Address: Henggang Building 2008 ,No. 5008 Longgang Avenue, Henggang Street, Longgang District, Shenzhen, China

Tel: (86) 166-7543-0876

E-mail: hello@2uul.com

1.4 Emergency telephone number: (86) 166-7543-0876

Section 2 - Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation GHS

Tetrachloroethylene (CAS No.: 127-18-4):

Carcinogenicity, Hazard Category 1B: H350

Hazard to the aquatic environment - acute hazard, hazard category 2: H401

Hazards to the aquatic environment - chronic hazards, hazard category 2: H411

2.2 Label elements

Labelling according to Regulation GHS

Hazard pictogram(s):



GHS09



GHS08

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone, Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 3 of 9

Product Name: Mr. 2UUL glue

Signal word: Danger

Hazard statement(s):

H350 May cause cancer
 H400 Toxic to aquatic organisms
 H411 Toxic to aquatic organisms and has long-term sustained effects

Precautionary statements:

P201 Obtain special instructions before use.
 P202 Do not move until all safety precautions are understood.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/protective goggles/protective masks.
 P391 Collect spillage.
 P308+P313 If in contact or in doubt: seek medical attention/seek medical attention.
 P405 The storage area must be locked.
 P501 Dispose of contents/containers in accordance with local/regional/national/international regulations.

2.3 Other hazards: No information available.

Section 3 – Composition/Information on Ingredient

3.1 Chemical characterization: Mixtures

Description:

Product consisting of the following components.

Chemical Name	CAS No.	EC No.	Concentration
Tetrachloroethylene	127-18-4	204-825-9	40%
Science and Trade Resin	65997-06-0	---	20%
120 resin	9002-23-7	---	5%
Thermoplastic Styrene-butadiene YH-792E	58428-34-5	---	35%

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone,

Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

http://www.dgntek.org.cn

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 4 of 9

Product Name: Mr. 2UUL glue

Section 4 - First Aid Measures

4.1 Description of first aid measures

General information:

In all cases of doubt, seek medical attention.

Following inhalation:

In general, no harm. If you feel unwell, remove to fresh air and keep at rest in a position comfortable for breathing.

Following skin contact:

In general, no harm. If skin irritation or rash occurs, wash with plenty of soap and water.

Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Following eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion:

Call a doctor if you feel unwell. Rinse mouth.

Information for doctor:

No information available.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone,

Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 5 of 9

Product Name: Mr. 2UUL glue

Section 5 – Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use dry chemical, carbon dioxide, alcohol resistant foam or water spray.

Unsuitable extinguishing agents: No information available.

5.2 Special hazards arising from the substance or mixture

No information available.

5.3 Advice for firefighters

Fire-fighters should wear appropriate breathing apparatus and protective equipment. Prevent fire-fighting water from entering surface water or groundwater.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

6.2 Environmental precautions

Avoid release to the environment. Avoid discharge into drains, surface water or groundwater.

6.3 Methods and material for containment and cleaning up

Absorb with earth, sand or other non-combustible material and transfer to container.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

7.1 Handling

Use personal protective equipment as required. Do not get in eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated place.

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone,

Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 6 of 9

Product Name: Mr. 2UUL glue

7.3 Specific end use(s) No information available.

Section 8 - Exposure controls/personal protection

Appropriate engineering controls: Provide local exhaust or process enclosure ventilation system.

Respiratory protection: Generally no special protection is required.

Skin protection: Generally no special protection is required.

Eye protection: Generally no special protection is required.

Body protection: Generally no special protection is required.

Environmental exposure controls: Avoid release to the environment. Avoid discharge into drains, surface water or groundwater.

Other protection: Attention to personal hygiene.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Shape: Paste like

Colour: Transparent

Odor: /

Other information: /

9.2 Additional information: No data available.

Section 10 - Stability and Reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions.

10.2 Chemical stability

Stable under normal conditions of use, storage and transport.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone, Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600 Email: service@gdntek.cn <http://www.dgntek.org.cn>

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023

Page 7 of 9

Product Name: Mr. 2UUL glue

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Strong acid, strong alkali, strong oxidizing materials.

10.6 Hazardous decomposition products

No information available.

Section 11 - Toxicological Information

Acute toxicity: No information available.

Skin corrosion/irritation: No information available.

Serious eye damage/irritation: No information available.

Respiratory or skin sensitization: No sensitizing effects known.

Toxicokinetics, metabolism and distribution: No information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction): No information available.

Section 12 - Ecological Information

12.1 Toxicity

Acquatic toxicity: No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone, Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 8 of 9

Product Name: Mr. 2UUL glue

12.5 Results of PBT and vPvB assessment

PBT: No information available.

vPvB: No information available.

12.6 Other adverse effects

No information available.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Dispose in accordance with all applicable regional and local laws and regulations.

Section 14 - Transport Information

14.1 UN-Number

ADR/RID/ADN, IMDG, IATA Not applicable

14.2 UN proper shipping name

ADR/RID/ADN, IMDG, IATA Not applicable

14.3 Transport hazard class (es)

ADR/RID/ADN, IMDG, IATA Not applicable

Class

Not applicable

Label

Not applicable

14.4 Packing group

ADR/RID/ADN, IMDG, IATA Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable

UN "Model Regulation": Not applicable

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone,

Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>

Material Safety Data Sheet (MSDS)

According to ISO 11014-2009

Report No.: DGC230810018PE Date: Aug. 16, 2023 Page 9 of 9

Product Name: Mr. 2UUL glue

Section 15 - Regulatory Information

No information available.

Section 16 - Additional Information

Reference: N/A

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

This document cannot be reproduced except in full, without prior written approval of NTEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This report does not serve as proof data of domestic social justice.

Dongguan NTEK Testing Technology Co., Ltd.

Address: Building 3, Meisaidaxin Park, Keji 8th Road, Songshan Lake High-Tech Industrial Development Zone,

Dongguan, Guangdong, China

Tel: (+86-769) 23301666 Fax: (+86-769) 23301600

Email: service@gdntek.cn

<http://www.dgntek.org.cn>

Appendix

The following photograph information was provided by the client, our laboratory is no responsible for its authenticity and relevance:

